

**MEDICAL COUNCIL OF INDIA**

**NEW DELHI**

**Minutes of the meeting of the Board of Governors held on 30<sup>th</sup> May, 2011 at 9.30 a.m. in the Council office at Sector-8, Pocket-14, Dwarka, New Delhi-110077, were reviewed on 14<sup>th</sup> June, 2011.**

**\*\* \*\* \***

**The following were present:**

1.	Dr. K.K. Talwar	Chairman, Board of Governors
2.	Dr. (Prof.) H.S. Rissam	Member, Board of Governors
3.	Dr. Purshotam Lal	Member, Board of Governors
4.	Dr. Rajiv Chintaman Yeravdekar	Member, Board of Governors
5.	Dr. Kailash Sharma	Member, Board of Governors
6.	Dr. Sangeeta Sharma	Member Secretary

The Board of Governors perused the recommendations of the Undergraduate Medical Education Committee meeting held on 24<sup>th</sup> May, 2011. Dr. RCM Kaza, Chairman and Dr. O.P. Kalra, Member UG Committee were invited to detail the process of scrutiny by the UG Committee and clarify certain issues related to examination of the compliance reassessment report. However, Dr. Kaza could not attend the meeting. The following decisions were taken:-

Sl.No.	Name of the college	Infrastructure	Equipment	Clinical materials	Staff	Recommendations of the UG Committee	Decision of the BOG
1.	Establishment of new medical college in the name of Sapthagiri Institute of Medical Sciences & Research Centre, Bangalore by Sri Srinivasa Educational & Charitable Trust, Bangalore	Adequate	Adequate	One ICU bed less	Paramedical staff 61 against requirement of 100	Recommended Note: Compliance of deficiencies should be obtained by next inspection	Approved with undertaking that compliance of deficiencies (minor) should be met by next inspection
2.	Establishment of a new medical college in the name of Medical Trust Institute of Medical Sciences at Ernakulam by Pulikkal Medical Foundation, Centre – compliance verification assessment thereof.	Hospital is 6 kms away – separate campus from college and library space still inadequate.	Complied	Beds in Psychiatry skin and respiratory medicine not adequate. No. Of beds to be mentioned.	Complied	Not recommended	Rejected as the college and hospital are 6 kms. away. This does not comply with the guidelines.
3.	Increase of MBBS seats from 150 to 250 at S.M.S. Medical College, Jaipur – Compliance verification assessment thereof.	Not complied Building reqmts not fulfilled, in tendering stage. Hostel reqmnts also deficient, Teaching areas also deficient	Not complied	Adequate	Deficiency of senior residents is 42%	Not recommended	Rejected. Deficiency of Sr. Resident.
4.	Renewal of permission for MBBS course for 5 <sup>th</sup> Batch of Raichur Institute of Medical Sciences, Raichur under Rajiv Gandhi University of Health Sciences, Karnataka	LT of 250 seats not available, Library seating capacity 100 against requirement of 200, Hostel capacity 35 against requirement of 85	No CT Scan, No USG	Central casualty – 6 vs requirement of 20	Nursing Staff severely deficient in all cadres, faculty deficiency is 10%.	Not recommended	Compliance verification by way of re-assessment be done.

5.	Renewal of permission for MBBS course for 4 <sup>th</sup> Batch of Jhalawar Medical College, Rajasthan under Rajasthan University of Health Sciences, Jaipur – compliance verification assessment thereof.	Complied	Adequate	Adequate	Complied	Recommended	Approved
6.	Renewal of permission for MBBS course for 3 <sup>rd</sup> batch of L.N. Medical College & Research Centre, Bhopal under Barkatullah Vishwavidyalaya – compliance verification assessment.	Largely complied	Complied	Complied	Adequate	Recommended	Since infrastructural deficiencies essentially complied application for renewal is Approved
7.	Renewal of permission for MBBS course for 5 <sup>th</sup> batch of Gian Sagar Medical College, Patiala under Baba Farid University of Health Sciences, Faridkot – Compliance verification assessment thereof.	Complied	Complied	3 RICU beds still deficient Rest complied	Paramedical staff and non-teaching staff deficient by 76. Rest complied	Recommended for renewal Note: major deficiencies have been met, minor remaining deficiencies should be complied with before next (recognition) inspection.	Approved compliance to deficiency in paramedical staff, shortage of RICU beds be complied before next inspection with an undertaking failing which due action will be taken.
8.	Renewal of permission for MBBS course for 5 <sup>th</sup> batch of Institute of Medical Sciences and SUM Hospital, Bhubaneswar, Orissa under Utkal University, Bhubaneswar – <b>Compliance verification assessment thereof.</b>	Residents hostels not mentioned in report  Remaining deficiencies complied with	Two mobile x-ray units still deficient	Adequate	Complied	Recommended for renewal Note: major deficiencies have been met, minor remaining deficiencies should be complied with before next (recognition) inspection.	Approved compliance to deficiency in mobile X ray units be complied before next inspection with an undertaking failing which due action will be taken.
9.	Renewal of permission for MBBS course for 3 <sup>rd</sup> Batch of Travancore Medical College, Kollam under University of Kerala, Kerala - <b>Compliance verification assessment thereof.</b>	Complied	Complied	Complied	Complied	Recommended	Approved

10.	Renewal of permission for MBBS course for 3 <sup>rd</sup> Batch of Ahmedabad Municipal Corporation Medical Education Trust Medical College, Ahmedabad under Gujarat University – Compliance verification assessment thereof.	Complied	Complied	Complied	Nurses are 248 against requirement of 277	Recommended for renewal Note: Deficiencies are largely complied with, minor remaining deficiencies should be fulfilled by next year assessment	Approved compliance to deficiency in nursing staff, be complied before next inspection with an undertaking failing which due action will be taken.
11.	Renewal of permission for MBBS course for 4 <sup>th</sup> Batch of Teerthanker Mahaveer Medical College, Mooradabad, U.P. under Teerthanker Mahaveer University, U.P.– <b>Compliance verification assessment thereof.</b>	Complied	Complied	OPD attendance complied; OBGYN still inadequate	Paramedical staff still deficient by 50	Recommended for renewal of 4 <sup>th</sup> batch Note: Deficiencies are largely complied with, minor remaining deficiencies should be fulfilled by next year assessment	Approved compliance to deficiency in paramedical staff be complied before next inspection with an undertaking failing which due action will be taken.
12.	Renewal of permission for MBBS course for 2nd Batch of Sri Muthukumaran Medical College, Hospital & Research Institute, Chennai under the Tamil Nadu Dr. MGR Medical University, Chennai – <b>Compliance verification assessment thereof.</b>	Complied	Adequate	Adequate	Complied	Recommended for renewal	Approved
13	Renewal of permission for MBBS course for 4 <sup>th</sup> Batch of Rajiv Gandhi Institute of Medical Sciences, Adilabad under NTR University of Health Sciences, Vijayawada – Compliance verification assessment thereof.	Adequate	Adequate	Adequate	Adequate	Recommended	Approved

14.	Renewal of permission for MBBS course for 3 <sup>rd</sup> Batch of Gujarat Adani Institute of Medical Sciences, Bhuj, Gujarat under KSKV Kachchh University, Bhuj, Gujarat – <b>Compliance verification assessment thereof.</b>	Complied	Complied	Complied	Complied	Recommended	Approved
15.	For renewal of permission for MBBS course for 4 <sup>th</sup> Batch of Rajiv Gandhi Institute of Medical Sciences, Srikakulam under NTR University of Health Sciences, Vijayawada– <b>Compliance verification assessment thereof.</b>	Examination hall still under construction Books in library still deficient	Mobile x-ray unit still deficient – one less, fluoroscopy not mentioned	-	Residents are deficient by 38.8% and faculty deficient by 13.6%	Not recommended for renewal No deficiencies have been complied with	Rejected Deficiency of Residents & faculty. Lack of Mobile X-ray, less number of Books and library. <b>To verify.</b>
16.	Renewal of permission for MBBS course for 5 <sup>th</sup> Batch of Index Medical College Hospital & Research Centre, Indore under Devi Ahilya Vishwavidyalaya, Indore – <b>Compliance verification assessment thereof.</b>	Complied	Complied	Complied	Complied	Recommended	Legal opinion to be sought as the compliance is appropriate.
17.	a) renewal of permission for MBBS course for 2 <sup>nd</sup> Batch against the increased intake i.e. from 50 to 100 b) assess for grant of Letter of Permission for increase of MBBS seats from 100 to 150 seats at Sikkim Manipal Institute of Medical Sciences, Gangtok under Sikkim Manipal University – <b>Compliance verification assessment thereof.</b>	Not complied	No LT – 250 hostel 225	Not complied	Not complied Bed occupancy 20%.	a) recommended Not b) recommended Not	Details to be obtained from UG Committee regarding deficiencies

18.	Renewal of permission against the increase intake i.e. from 107 to 150 for MBBS course for 5 <sup>th</sup> batch at M.K.C.G. Medical College, Berhampur, Orissa under Berhampur University, Berhampur, Orissa - <b>Compliance verification assessment thereof.</b>	Complied	One USG machine less and two static machine and 3 mobile x-ray machine less.	ICCU 2 beds less, No RICU	Faculty 7% less and Residents 16% less	Not recommended	Rejected <b>To check.</b>
Sl.No.	Name of the college	Infrastructure	Equipment	Clinical materials	Staff	Recommendations of the UG Committee	Decision of the BOG
19.	Renewal of permission against the increase intake i.e. from 107 to 150 for MBBS course for 5 <sup>th</sup> batch at VSS Medical College, Burla, Orissa under Sambalpur University, Orissa - <b>Compliance verification assessment thereof.</b>	Deficiencies listed by UG Committee have not been addressed by the assessors who visited on 14/5/11				Not recommended	Rejected and also decided to get clarification from the Assessors regarding deficiencies. <b>To check.</b>
20.	For recognition/ approval of Mandya Institute of Medical Sciences, Mandya under Rajiv Gandhi University of Health Sciences, Bangalore - <b>Compliance verification assessment thereof.</b>	3 major OTs still short, residents hostel still short (43 against 83), nurses hostel deficiency was pointed out by UG Committee, but not addressed by assessors.	CT scan still not available	Adequate	Paramedical staff still deficient – 66 against requirement of 179. Nursing staff shortage has been complied. Teaching staff shortage overall is 7.2% at present	Not recommended	Rejected <b>To verify.</b>
21.	For recognition / approval of U.P. Rural Institute of Medical Sciences & Research, Saifai, Etawah, UP under Chhatrapati Shahuji Maharaj University, Kanpur, UP - <b>Compliance verification assessment thereof.</b>	Adequate	One 300 mA and one 500 mA and IITV unit still deficient	ICCU and RICU beds are still 4 each not 5 as per requirement – non compliance	Complied .	Not recommended unless compliance can be reported back within one month.	Re-assessed.

22.	For recognition /approval of Government Medical College, Surat, Gujarat against the increased intake i.,e. from 120-150 under Veer Narmad South Gujarat University, Surat - <b>Compliance verification assessment thereof.</b>	Complied	Complied	Complied	Complied	Recommended	Approved
23.	For increase of MBBS seats from 100-150 of AJ Institute of Medical Sciences, Mangalore	Adequate	Adequate	Adequate	Adequate	Recommended	Approved

The meeting ended with vote of thanks to the Chair.

(Dr. Sangeeta Sharma)  
Secretary

Approved by

(Dr. (Prof.) H.S. Rissam)  
Member, BOG

(Dr. Purshotam Lal)  
Member,BOG

(Prof. K.S. Sharma)  
Member, BOG

(Dr. Rajiv Chintaman Yeravdekar)  
Member, BOG

(Prof. K.K. Talwar)  
Chairman, BOG

**MEDICAL COUNCIL OF INDIA**  
**NEW DELHI**

Minutes of the meeting of the Board of Governors held on June 6, 2011 at 10.00 a.m. in the Council office at Sector-8, Pocket-14, Dwarka, New Delhi-110077, these were reviewed on 14.06.2011.

\* \* \* \*

**The following were present:**

1.	Dr. K.K. Talwar	Chairman, Board of Governors
2.	Dr. (Prof.) H.S. Rissam	Member, Board of Governors
3.	Dr. Purshotam Lal	Member, Board of Governors
4.	Dr. Rajiv Chintaman Yeravdekar	Member, Board of Governors
5.	Dr. Kailash Sharma	Member, Board of Governors
6.	Dr. Sangeeta Sharma	Member Secretary

The Board of Governors perused the recommendations of the Undergraduate Medical Education Committee meeting held on 3<sup>rd</sup> June, 2011. Dr. RCM Kaza, Chairman and Dr. O.P. Kalra, Member UG Committee were also invited to detail the process of scrutiny by the UG Committee and clarify certain issues related to examination of the compliance reassessment report. The following decisions were taken:-

Sl.No.	Name of the college	Infrastructure	Equipment	Clinical materials	Staff	Recommendations of the UG Committee	Decision of the BOG
1.	Agenda no 1 part 16 Index medical college & Hospital & Research, Indore under Devi Ahilya Vishwavidyalaya, Indore					UG Committee has already recommended as they have complied with the deficiencies listed in the earlier minutes. The previous decision to recommend stands	It was noted that the decision was deferred by the BOG then as to why the same was referred back to UG Committee.
1	Agenda Item 1 part 19,  VSS Medical College, Burla, Orissa under Sambalpur University, Orissa.					Clarification may be sought from assessors, regarding the points that UG committee had raised in its minutes dated 04.05.11.	Reply from one of the assessor has been received, it was decided to await reply from the co-ordinator

1.	Agenda item no. 1 part 17, Sikkim Manipal Insitute of Medical sciences, Gangtok checking against the recognition of 50 minimum seats	Resident hostels - 44 against requirement of 74, interns hostel -40 against requirement of 50, No information about residential quaters for teaching and non-teaching staff	One 300mA and one 500mA Xray are less	Indoor bed occupancy 20-25% against the reqmt of 75%, OBGGY N only 16% OPD attendance 150 at CRH 2 <sup>nd</sup> hospital not visited. ICU beds short in PICU.	Faculty- no information provided for Forensic Medicine & Physiology Deptt. S/R short by 63.8%, J/R short by 36%, Tutors by 37%. No prof. In Anaesthesia, No faculty in dentistry, No ANMO & MWO in OBG, No Prof. In Anatomy.		Rejected for increase of seats from 100-150 Renewal for increased intake from 50-100 seats 2 <sup>nd</sup> Batch not granted  <b><i>To verify record deficiency from the file.</i></b>
1	Agenda Item No.1 part 21 Rural Instt. Of Med.Sciences & Research, Saifai, Etawah, U.P.					College has written that equipment deficiency has been corrected, photographs have been enclosed, however, a physical verification is required.	To reassess
2.	Establishment of a new medical college in the name of GMERS Med.College, Gotri, Vadodara by Gujarat Med.Education & Research Society, Vadodara Compliance verification assessment thereof.	Complied	Complied	Complied	Complied	Recommended All deficiencies rectified.	Approved.
3.	Establishment of a new medical college in the name of Madha Medical College & Hospital, Kanchipuram, Chennai by Loordhu Ammal Educational Trust – Compliance verification assessment thereof.					Recommended All the deficiencies pointed out by the UG Committee have been addressed except the issue of Library. Library size is adequate in terms of area, however 150 chairs are missing, this may be addressed.	Approved.



4.	Establishment of a new medical college in the name of ICARE Institute of Medical Sciences & Research, Haldia, West Bengal by Indian Centre for Advancement of Research and Education, Haldia, West – Compliance verification assessment thereof.					Recommended All deficiencies listed have been rectified.	Referred back to UG Committee
5.	Establishment of a new medical college in the name of GCS Medical College, Swadeshi Mill Compound, Naroda Road, Ahmedabad, Gujarat by Gujarat Cancer Society, Ahmedabad – Compliance verification assessment thereof.					Recommended. All deficiencies listed have been rectified.	Approved.
6.	Increase of MBBS seats from 100 to 150 at Dr.D.Y.Patil Medical college, Kolhapur u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.					Recommended All deficiencies listed have been rectified.	Approved.
7.	Increase of MBBS seats from 150 to 250 at Sri Ramachandra Medical College and Research Instt., Chennai – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Approved.
8.	For increase of MBBS seats from 150 to 250 at Padmashree Dr.D.Y. Patil Medical College, Hospital & Research Centre, Pimpri, Pune, Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Not Approved.  OPD strength is less in number.
9.	Increase of MBBS seats from 150 -250 at Stanley Medical College, Chennai – Academic year 2011-12 – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Referred back to UG Committee
10.	Increase of MBBS seats from 100 to 150 at S.P. Medical College, Bikaner – and also continuance of recognition of the college for the award of MBBS degree granted by the Rajasthan University of Health Sciences, Rajasthan – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Approved.  Continuation of recognition and increase of seats from 100 to 150 seats granted

11.	For increase of MBBS seats from 100 to 150 at K.S. Hegde Medical Academy, Mangalore, Karnataka – Continuance of recognition of the college for the award of MBBS degree granted by the Nitte University, Mangalore – Compliance verification assessment thereof.					Recommended both for increase in seats and recognition for 100 seats. All deficiencies listed have been rectified.	Approved.
12.	Increase of MBBS seats from 50-100 at MLB Medical College, Jhansi – Continuance of recognition of the college for the award of MBBS degree granted by the Bundelkhand Univ. – Compliance verification assessment thereof.					Recommended All deficiencies listed have been corrected.	Approved.
13.	Renewal of permission for MBBS course for 4 <sup>th</sup> Batch of Veer Chandra Singh Garhwali Govt. Medical College & Research Instt., Srinagar, Uttarakhand under H.N. bahuguna Garhwal University, Srinagar, Uttaranchal, U/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Examination hall 250 against requirement of 500, ((%) – under construction)		Beds by sub speciality not given by assessors in report.		Recommended Note: Breakup of sub specialities in bed strength should be provided.	Approved college to rectify the deficiency within 3 months
14.	Renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Malabar Medical College, Calicut under the Kerala Univ. Of Health & Allied Sciences, Kerala – Compliance verification assessment thereof.	Library seating short – 180, against requirement of 300.			Paramedical staff 90 against requirement of 162. Faculty adequate.	Recommended Deficiencies listed should be corrected before next renewal.	Approved.
15.	Renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Dr.VRK Women's Medical College, Aziznagar, Andhra Pradesh under NTR University of Health Sciences, Vijayawada – compliance verification assessment thereof.					Recommended	Approved.
16.	For recognition – approval of NMDC Government Medical College, Jagdalpur, Chhattisgarh under Pt.Ravishankar Shukla University, Raipur – Compliance verification assessment thereof.					Not recommended. Non compliance with deficiencies listed previously.	To clarify from UG Committee

17.	For renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Indira Gandhi Medical College & Research Instt., Puducherry under Pondicherry University, Pondicherry – Compliance verification assessment thereof.					Recommended	Approved.
18.	Renewal of permission for MBBS course for 4 <sup>th</sup> batch of Narayana Medical College & Hospital Jamuhar, Bihar under Veer Kunwar Singh University u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Blood bank still not available.	Purchase order of CT Scan attached.	RICU, PICU, NICU, ICU – all short by – 1. OPD attendance 519 against requirement of 700.	Nursing staff 49 against requirement of 247.	Not recommended.	Rejected <b><i>To verify reasons.</i></b>
19.	Renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Jawaharlal Nehru Instt. Of Med.Sciences, Porompet, Imphal, Manipur under Manipur University u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.				Still no information of paramedical staff given in assessors report.	Recommended.	Approved.
20.	For renewal of permission for MBBS course for 5 <sup>th</sup> batch of Smt. Kashibhai Navale Medical College & General Hospital, Pune, Maharashtra under Maharashtra university of Health Sciences, Nashik u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Approved
21.	Renewal of permission for MBBS course for 3 <sup>rd</sup> batch of Sree Naryana Instt. Of Medical Sciences, Chalakka under the Mahatma Gandhi University, Kottayam u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Complied	Complied	Bed strength required is 400, but they have only 350.		Not recommended.	Rejected <b><i>To check for the number of seats and verify deficiency from files.</i></b>

22.	Renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Shree Guru Gobind Singh Tricentenary Medical College Hospital & Research Instt., Gurgaon under Pt.B.D. Sharma University of Health Sciences, Rohtak and for grant of letter of Permission for increase of MBBS seats from 100 to 150 u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.			Bed strength required for 1 <sup>st</sup> renewal of 100 seats is 350, but they have only 320.	Details of dental deptt. Not available.	Institute is complying with LOP of 150 admissions (300 beds required), but not for 1 <sup>st</sup> renewal of 2 <sup>nd</sup> batch (350 beds). It is desirable that the institute should first meeting the recognition criteria for 100 before seeking LOP for 150 BOG should take a view on the anomaly of the situation.	Not approved for increase in seats but renewal of permission granted.  Representation received from the College, it was decided to defer the matter for next BOG meeting.
23.	Renewal of permission for MBBS course for 4 <sup>th</sup> batch of KPC Medical College, Jadavpur under the West Bengal University of Health Sciences, Kolkata u/s 10A of the IMC Act, 1956 – compliance verification assessment thereof.	Complied.		All deficiencies listed are complied, except – MICU and SICU still not available, total beds are 17 against requirement of 20.		Recommended Deficiencies listed should be corrected before Next renewal.	Approved.
24.	For renewal of permission for MBBS course for 5 <sup>th</sup> batch of Bidar Instt. Of Medical Sciences, Bidar under Rajiv Gandhi Univ. Of Health Sciences, Bangalore – Compliance verification assessment thereof.		600 mA with IITV and CT Scan not available as yet.		Faculty short by 10.3%, residents short by 21%, nursing staff by 80, numbers.	Not recommended.	The letter from Pr. Sec health, Karnataka was considered, it was decided to grant permission with condition to rectify the deficiencies within 3 months.
25.	Renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Fathima Instt. Of Medical Sciences, Kadapa, Andhra Pradesh under NTR University of Health Sciences, Vijayawada u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies listed have been rectified.	Approved.

26.	Renewal of permission for MBBS course for 4 <sup>th</sup> batch of Dr.Ulhas Patil Medical College & Hospital, Jalgaon under Maharashtra Univ. Of Health Sciences, Nashik u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Approved.
27.	For renewal of permission for MBBS course – for 4 <sup>th</sup> batch of Saraswathi Instt. Of Medical Sciences, Ghaziabad under Ch. Charan Singh University, Meerut u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies rectified.	Approved.
28.	For renewal of permission for 100 MBBS course for 3 <sup>rd</sup> batch and also to assess for grant of Letter of Permission for 100 to 150 MBBS seats at School of Medical Sciences & Research, Greater Noida, Uttar Pradesh under Sharda University, Greater Noida u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies listed have been addressed and rectified.	Not Approved for increase in seats but approval for 3 <sup>rd</sup> batch granted.
29.	Renewal of permission for MBBS course for 6 <sup>th</sup> batch of Sree Uthradom Thirunal Academy of Medical Sciences, Thiruvananthapuram under Kerala University u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Recommended All deficiencies listed have been addressed and rectified.	Approved.
30.	For renewal of permission for MBBS course for 2 <sup>nd</sup> batch of Thiruvapur Govt. Med.College, Thiruvapur under the Tamil Nadu Dr.MGR Med.College University u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Library capacity 50 out of 200 required No staff quarters.			Paramedical staff are 130 against requirement of 160.	Recommended Deficiencies listed should be corrected before next renewal.	Approved.

31	Assessment of the physical and the other teaching facilities available for renewal of permission against the increase intake i.e. from 50 to 100 for MBBS course for 3 <sup>rd</sup> batch of Nalanda Medical College, Patna under Magadh University, Bodh Gaya u/s 10A of the IMC Act,1956 – Compliance verification assessment thereof.	Residential quarters still less – 22 against requirement of 59; Library seating capacity still less 135 against requirement of 200	One static x-Ray machine and one USG machine still deficient	ICD classification of disease still not started  Blood bank license still not available	Supervisory nursing staff 13 against requirement of 41, number of paramedical staff not provided by the assessors in compliance assessment.	Not recommended	Rejected for increase in seats but approval for 3 <sup>rd</sup> batch granted.
32	Surprise Assessment of Adesh Institute of Medical Sciences, Bhatinda		Number of Radiological investigations not mentioned on day of assessment .	RICU – not mentioned in assessors' report.		The assessors' report of May 23-24 ,2011, was considered by UG committee. The assessment report is adequate. Matter is now placed before BOG.	Letter to be written to assessor to provide the information on remaining deficiencies
33	Renewal of permission against the increased intake i.e. from 100-150 for MBBS course for 3 <sup>rd</sup> Batch of Pt. Jawahar Lal Nehru Medical College, Raipur, C.G. under Chhattisgarh Ayush University of Health Sciences University, Raipur, Chhattisgarh – Compliance verification assessment thereof.	Complied			Total supervisory nursing staff numbers ok but no DNS or NS (Total 4 required), faculty (now deficiency is only 10%) but Residents are still short by 35%	Not recommended	Referred back to UG Committee for clarification on resident shortage whether PG students can be counted
34	For recognition u/s 11(2) of the IMC Act,1956/approval of Kesar SAL Medical College & Research Institute, Ahmedabad, Gujarat under Gujarat University.					The assessment report is adequate. Matter is now placed before BOG.	Report of the Fact finding committee constituted by the MOHFW was also considered and decided to Reject the request for renewal. However, recognition of college for limited period as decided earlier in the meeting held on May 31, 2011 be granted. The report may be re-examined. Referred for legal opinion.
35	For recognition – approval of Pt. Deen Dayal Upadhyay Medical College, Rajkot, Gujarat against the increased intake i.e. from 50-100 under Saurashtra University, Rajkot, Gujarat – Compliance verification assessment thereof.	Examination hall short of seating capacity by 250				Cleared for recognition for 50 seats but not for increase in seats from 50 to 100.	Recognition against the increased intake of seats from 50-100 not granted

36	Recognition approval of Hassan Institute of Medical Sciences, Hassan under Rajiv Gandhi University of Health Sciences, Bangalore – Compliance verification assessment thereof.		Regarding purchase of 600 mA Xray machine with IITV – Specifications of the said machine are attached, but no purchase order enclosed. CT Scan outsourced			BOG to review regarding deficiencies listed in equipment column.  BOG to take a view on outsourcing.	Approved
37	Recognition approval of Government Medical College, Bhavnagar against the increased intake i.e. from 50 to 100 under Bhavnagar University, Bhavnagar – Compliance verification assessment thereof.		CT Scan facility is available on campus but outsourced			All deficiencies rectified, However BOG to take a view on outsourcing.	Approved
38	Recognition u/s 11(2) of the IMC Act,1956/approval of Kamineni institute of Medical Sciences, Narketpally, Andhra Pradesh against the increased intake i.e. from 100 to 150 under Dr. NTR University of Health Sciences, Vijayawada – Compliance verification assessment thereof.					Recommended  All deficiencies rectified	Approved

The meeting ended with vote of thanks to the Chair.

(Dr. Sangeeta Sharma)  
Secretary

Approved by

(Dr. (Prof.) H.S. Rissam)  
Member, BOG

(Dr. Purshotam Lal)  
Member,BOG

(Prof. K.S. Sharma)  
Member, BOG

(Dr. Rajiv Chintaman Yeravdekar)  
Member, BOG

(Prof. K.K. Talwar)  
Chairman, BOG

**MEDICAL COUNCIL OF INDIA**  
**NEW DELHI**

Minutes of the meeting of the Board of Governors held on 13<sup>th</sup> June,2011 at 10.00 a.m. in the Council office at Sector-8, Pocket-14, Dwarka, New Delhi-110077.

\*\* \*\* \*

**The following were present:**

1.	Dr. K.K. Talwar	Chairman, Board of Governors
2.	Dr. (Prof.) H.S. Rissam	Member, Board of Governors
3.	Dr. Purshotam Lal	Member, Board of Governors
4.	Dr. Rajiv Chintaman Yeravdekar	Member, Board of Governors
5.	Dr. Kailash Sharma	Member, Board of Governors
6.	Dr. Sangeeta Sharma	Member Secretary

1. **Minutes of the Board of Governors meeting dated 06.06.2011 – Confirmation of.**  
**The Board of Governors confirmed the minutes of May 06, 2011.**
2. The Board of Governors held detailed discussion and also perused the list of the colleges where the show cause notices have been issued relating to duplicate faculty. Some new facts regarding the Regulation on applications for increase of seats in colleges which have not been recognised for running of MBBS/PG Diploma/PG Degree/Higher Speciality courses was brought to the notice of Board of Governors.

Relevant part of the Clause 3 of Part-II of the Regulation 2000 on Opening of a New or Higher Course of Study or Training (including postgraduate course of study or training) and increase of admission capacity in any course of study or training (including a postgraduate course of study or training) Regulations, 2000. deals with Qualifying Criteria which is as under:-

**“3. Qualifying Criteria**

*The medical college/institution shall qualify to apply for increasing the number of admission in MBBS/PG Diploma/Degree/Higher Speciality Course in the existing medical college/institution if the following conditions are fulfilled:-*

1. (1) *The Medical College/Institution is recognised by the Medical Council of India for running MBBS/PG Diploma/PG Degree/Higher Speciality courses.*  
*or*  
(2) *Medical College/Institution has received the formal permission of the Central Government under Section 10A of the Indian Medical Council Act, 1956 (102 of 1956) and has started*  
No amendment has been made in the above said regulation permitting the college to apply for new or higher course of study without the colleges being recognised by the MCI for running MBBS/PG Diploma/PG Degree/Higher Speciality courses.

Legal Retainer opined that in the absence of any provision in the Regulation permitting the non-recognised medical college to apply for increase of seats, permission could not be granted to the colleges for increase of seats which are not recognised for running MBBS/PG Diploma/PG Degree/Higher Speciality courses.

In view of the specific provision in the Regulation, further in the absence of any amendment in the Qualifying Criteria of the above Regulation, the Board is not vested with power under Section 10A of I.M.C. Act, 1956 to entertain application for increase of seats in colleges which are not recognised for running MBBS/PG Diploma/PG Degree/Higher Speciality courses.

Section 10A of I.M.C. Act, 1956 also provides that the application for increase of seats has to be in accordance with the scheme framed under section 10A. The Regulation above mentioned framed under section 10A of I.M.C. Act, 1956 does not give liberty to the Board of Governors to entertain the application for increase of seats in undergraduate courses from the college which are not recognized by Medical Council of India. In my considered opinion, all such applications pending in the Medical Council of India for increase of seats in medical colleges which are not recognized for running MBBS/PG Diploma/PG Degree/Higher Speciality courses are liable to be rejected.



**Thereafter, the Board decided to direct the Secretary, MCI not to issue any letter of permission/rejection without prior permission of the BOG on June 10, 2011. The BOG will review again the decisions based on the above information after obtaining legal opinion.**

3. The Board of Governors perused the recommendations of the Undergraduate Medical Education Committee meeting held on 10<sup>th</sup> June, 2011. The following decisions were taken:-

S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	Decision of the BOG
<b>Agenda no 1: Items again referred by BOG to UG Committee</b>							
4	Establishment of a new medical college in the name of ICARE Institute of Medical Sciences & Research, Haldia, West Bengal by Indian Centre for Advancement of Research and Education, Haldia, West – Compliance verification assessment thereof.					The decision taken by UG committee on 3.6.11 stands as all deficiencies are rectified. The blood bank licence has been renewed till 22.5.2016 – vide Annexure X, number DCWB/PBB/BCRH/147-10/255/1 (1) dated 23.5.2011 Recommended	Approved
9	Increase of MBBS seats from 150 -250 at Stanley Medical College, Chennai – Academic year 2011-12 – Compliance verification assessment thereof.	Lecture theatres inadequate  2.Library seating capacity grossly inadequate. Number of books and journals less in number.  3.Residential quarters inadequate in number.			Faculty and Residents shortage.	Case reviewed by UG Committee – deficiencies pointed out in the meeting 25.4.2011 <b>not</b> rectified Not recommended	Not approved due to following reasons:  1. Lecture theatres inadequate  2.Library seating capacity grossly inadequate. Number of books and journals less in number.  3.Residential quarters inadequate in number.  4.Faculty and Residents shortage.
16	For recognition – approval of NMDC Government Medical College, Jagdalpur, Chhattisgarh under Pt.Ravishankar Shukla University, Raipur – Compliance verification assessment thereof.	No examination hall (against one required) Library seating capacity is 60 against 100 seats No. of journals not mentioned UHC RHTC under the state govt./CMO which should be under the dean Residential quarters nil				Deficiencies not rectified Assessors who did compliance verification on 30 <sup>th</sup> May 2011 have mentioned “distribution of OT tables” while MCI has stipulated absolute numbers of OTs required  Not recommended	<b>To check the letter written by Chief Secretary, Chhattisgarh.</b>  <b>Case re-reviewed as instructed by BOG.</b> <b>Deficiencies persist and are significant and cannot be overlooked</b> <b>Not recommended.</b>

		against 53 required Boys-Girls Hostel 177 against 188 required Residents Hostel 10 against 74 required OTs available are 8 against 10+2 required ICU, PICU no. of beds short.					
33	Renewal of permission against the increased intake i.e. from 100-150 for MBBS course for 3rd Batch of Pt. Jawahar Lal Nehru Medical College, Raipur, C.G. under Chhattisgarh Ayush University of Health Sciences University, Raipur, Chhattisgarh – Compliance verification assessment thereof	Residential quarters, nurses hostel not available			Supervisory nursing cadres (NS and DNS still not available) Faculty shortage which was 22.8% which is still 10% Residents shortage which was 68% is now 35%	Deficiencies pointed out on 31.3.11 still not rectified  Not recommended	<b>To check for the status of PG students converted in the Senior Residents. This item was reviewed again– it is noted that the deficiencies in faculty and residents has been reduced. Renewal of permission against the increased intake i.e. from 100-150 for MBBS course for 3rd Batch may be granted. The college must make up the deficiencies before the 4<sup>th</sup> batch renewal.</b>
S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
2	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Srinivas Institute of Medical Science & Research Centre, Surathkal, Mangalore by A Shama Rao Foundation, Karnataka u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					Girls Hostel and faculty residential quarters arrangement has been made outside within 5 kms radius. Hostel under construction would be ready by 3 months. Staff quarters construction nearly complete.	Approved.

S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	Decision of BOG
3	Assessment of the physical and the other teaching facilities available for establishment of a new medical college at Patna by Indira Gandhi Institute of Medical Sciences, Patna, Bihar u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					Deficiencies not rectified – faculty shortage and other issues pointed out earlier have not been rectified  Not recommended	In view of established hospital and running postgraduate courses and deficiency in the faculty as per assessment 50 seats may be granted. The Secretary had given the undertaking that the deficiency would be rectified.
S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	Decision of BOG
4	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Rajiv Gandhi Institute of Medical Sciences, Ongole, Andhra Pradesh by Govt. of Andhra Pradesh u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					All deficiencies listed have been rectified.  Recommended	Approved
S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	Decision of BOG
5	Assessment of the physical and the other teaching facilities available for establishment of a new medical college at Kalahandi, Orissa in the name of Sardar Rajas Medical College, Hospital and Research Centre, Kalahandi, Orissa by Selvam Educational & Charitable Trust, Tirunelveli, Tamil Nadu u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.	No comment on library or CSSD Blood bank, central oxygen and nitrous oxide not available.			No comments on paramedical staff. Faculty short: Professor and Associate professor both short by 85%, senior residents short by 41%	Report was not sealed Deficiencies not rectified  Not recommended	Not approved due to following reasons:- 1.Shortage of faculty and residents 2.Blood bank not available
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
6	Assessment of the physical and the other teaching facilities available for					None of the deficiencies listed have been rectified.	Not approved due to acute shortage of faculty & staff,

	establishment of a new medical college in the name of Paritrans Medical College & Hospital at Dardmara, P.S. Jasidih, Deoghar, Jharkhand at Deoghar, Jharkhand by Paritrans Trust (Buddhist Minority Trust), Deoghar, Jharkhand u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					Not recommended	clinical material, infrastructure & equipments
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
7	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 – 150 at Rajarajeswari Medical College & Hospital, Bangalore u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.	Examination Hall 300 against 500 required			SR deficiency 45%	Deficiencies not rectified  Not recommended	<b>To recheck for the requirement of residents with the UG Committee.</b> The file has been reviewed and discussed. The deficiencies exist in examination hall and residents shortage. The increase in seats cannot be recommended.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
8	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 50 to 100 at K.J. Somaiya Medical College, Hospital & Research Centre, Sion, Mumbai u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.	Residential quarters deficient			Shortage of nursing staff	Deficiencies not rectified  Not recommended	Not approved due to following reasons:  1.Shortage of supervisory nursing staff.  2.Animal house not registered. 3.Hostel accommodation deficient for boys and girls. 4.Laboratory space requirements less than MCI norms.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
9	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at Government Medical College, Jammu u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.	Library capacity less 210 against 300 Residents Hostels inadequate Demonstration rooms in pre-clinical subjects are inadequate	AV and other Teaching aids and instruments in Physiology and Biochemistry inadequate			Deficiencies not rectified Letter to BOG attached from assessors regarding administrative difficulties  Not recommended	Not approved due to following reasons: 1.Library capacity less. 2.Resident hostels inadequate.

S No	Name of College	Infrastructure	Equip ment	Clinical Material	Staff	Remarks	Decision of BOG
10	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at S. Nijalingappa Medical College & Hanagal Shri Kumareshwar Hospital & Research Centre, Bagalkot u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.					All deficiencies have been rectified  Recommend ed	Approved. To comply with bed strength in a phased manner.
S No	Name of College	Infrastructure	Equip ment	Clinical Material	Staff	Remarks	Decision of BOG
11	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at Jawahar Lal Nehru Medical College, Ajmer u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by the Rajasthan University of Health Sciences – Compliance verification assessment thereof.	Library 192 against required 300 for LOP and 200 for recognition	IITV and CT scan not functioning – required for recognition of 100	5 bedded RICU not available (required for recognition )	DNS, ANS deficient	Deficiencies not rectified for recognition or LOP increase in seats  Not recommend ed	Approved for continuance of recognition. Not approved for increase of seats from 100 to 150 for the following reasons:- 1.Deficiency of Supervisory nursing staff and residents. 2.Library less in capacity. 3.Deficiency of bed strength. 4.CT Scan not functioning.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
12	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 150 to 250 at JSS Medical College, Mysore u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by JSS University, Mysore –	Less number of demonstration rooms in pre and paraclinical departments. Inadequate library facilities and number of books. 4.Less number of lecture theatres with less capacity.		Low average OPD strength.	Deficiency in teaching residents.	Principal has now applied for assessment for 200 seats instead of 250 seats – this is a change from the original request for 250 and the assessment done thereof BOG to advise	Referred to the UG Committee for assessment for 200 seats. Recommended for LOP for increase of seats from 150 to 200  Recommended for recognition for 150 seats.

	Compliance verification assessment thereof.						
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
13	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 120 – 200 at Kempegowda Institute of Medical Sciences, Bangalore u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.	Lecture theatre and examination hall still under construction/modification - Not rectified Residents Hostel under construction – not rectified Nurses Hostel not mentioned by assessors RHTC and UHC not mentioned by assessors			Paramedical staff – available was 55 against 182 – staff is still being recruited Residents shortage was 50% - process of recruitment under way - currently residents shortage is still 50% (21 available against 41 required for 200 seats)	Not rectified  Not recommended	Not approved for following reasons:  1.Deficiency of para medical staff. 2.Shortage of residents. 3.Nurses hostel not available. 4.Lecture theatre and examination hall not available.  5.Resident hostel not available.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
14	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at Adichunchanagiri Institute of Medical Sciences, Mandya District, Karnataka u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by Rajiv Gandhi University of Health Sciences, Karnataka – Compliance verification assessment thereof.	Library seating 111 against required 200 – Principal has given undertaking to increase seats as well as auditorium by the end of the academic year			Resident shortage reduced from 26.5% to 14% Faculty shortage reduced from 14.5% to 4.7%	Deficiencies not rectified Not recommended	<b>Referred to the UG Committee to relook for discrepancies.</b> The case was reviewed by UG Committee. However continuation of recognition for 100 seats may be granted. The LOP for 150 seats may be granted. The increase of seats to 150 requires compliance of the deficiencies before next renewal.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
15	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 150 to 250 at R.G. Kar Medical College, Kolkata u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance					DGME, West Bengal has now applied for assessment for 200 seats instead of 250 seats – this is a change from the original	Approved for 200 seats.

	verification assessment thereof.					request for 250 and the assessment done thereof BOG to advise.	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
16	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 200 to 250 at Government Medical College, Thiruvananthapuram u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.	Lecture theatre requirement is 7x300 and 1x650, available is 200x4 Library seats 250 available against 500 required			SR shortage was 28% and still exists	Deficiencies mentioned in 30.3.11 and compliance verification done on 6 <sup>th</sup> June 11 Deficiencies not rectified  Not recommended	Not approved due to following:- 1.Deficiency of senior resident by 28%. 2.Lecture theatre is deficient and inadequate in space. 3.Library deficient in capacity.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
17	Assessment of the physical and the other teaching facilities available for renewal of permission for MBBS course for 2 <sup>nd</sup> Batch of College of Medicine & J.N.M. Hospital, Nadia, West Bengal under the West Bengal University of Health Sciences, Kolkata u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Lecture theatre and library – no mention			Faculty deficiency 8.9% Residents deficiency 8.8%	Deficiencies not rectified Not recommended	<b>To recheck with UG Committee</b> The file was re-reviewed as per BOG recommendation The Lecture theatre and library do not find a mention in the assessors report First inspection files were reviewed. Lecture theatre and library is satisfactory.  Can be recommended.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
18	Assessment of the physical and the other teaching facilities available for renewal of permission for MBBS course for 3 <sup>rd</sup> Batch of Bundelkhand Medical College, Sagar, Madhya Pradesh under Dr. Harisingh Gour University, Sagar u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					All deficiencies rectified  Recommended	Approved Chief Secretary (H&FW) to be communicated for sending the status of the supervisory nursing staff.
S No	Name of College	Infrastructure	Equipment	Clinical	Staff	Remarks	Decision of BOG

				Material			
19	Assessment of the physical and the other teaching facilities available for renewal of permission for MBBS course for 5 <sup>th</sup> Batch of Shimoga Institute of Medical Sciences, Shimoga under Rajiv Gandhi University of Health Sciences, Bangalore u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.		Mobile and static units less than required  IITV not mentioned			Not rectified  Not recommended	<b>Approved.</b>
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
20	Assessment of the physical and the other teaching facilities available for renewal of permission for 6 <sup>th</sup> Batch of MBBS students at Karuna Medical College, Palakkad under University of Calicut u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.					Deficiencies rectified  Recommended	Approved
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
21	Assessment of the physical and the other teaching facilities available for renewal of permission against the increased intake i.e. from 100 to 150 for 6 <sup>th</sup> Batch of MBBS students at Government Medical College, Thrissur under University of Calicut u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	Lecture theatres 4x180 and 1x350 required. No 180 or 350 capacity available (Available is 2x160 and 3x 150 and 1x100) Library only 59 seats available against 300 required Teaching space in OPD for 15 students available – deficiency not rectified	IITV deficiency rectified Deficiency of Central and Micro lab rectified			Deficiencies pointed out on 7.4.11 and 21.4.11 are not rectified  Not recommended	Not approved for increase in seats due to: Deficiency in seating capacity of library . Inadequate lecture theatres. Deficiency of teaching space in OPD.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
22	Assessment of the physical and the other teaching facilities available for renewal of permission against the increased intake i.e. from 100 to 150 for MBBS course for 5 <sup>th</sup> Batch of T. D. Medical College,	Auditorium capacity 200 against required 500 Library 150 seating capacity against 200	Mobile X ray units 3 available against 6 required. No IITV			Deficiencies not rectified  Not recommended	Not approved for increase in seats due to: Deficiency of faculty (18.3%) and Residents (36.6%). Shortage of demonstration room. Deficiency of x-



	Alappuzha, Kerala under Kerala University u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.						ray unit. Deficiency of lecture theatre, auditorium and library.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
23	Assessment of the physical and the other teaching facilities available for renewal of permission against the increased intake i.e from 65 –100 for MBBS course for 4th Batch of Silchar Medical College, Silchar, Assam, under Assam University u /s 10A of the IMC Act, 1956.				Nurses deficient 85 against 175	Compliance inspection should be carried out	Approved with the condition to comply in 3 months.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
24	Assessment of the physical and other teaching facilities available for recognition u/s 11(2) of the IMC Act, 1956/ approval of Theni Government Medical College, Theni under the Tamilnadu Dr. MGR Medical University, Chennai – Compliance verification assessment thereof.	There is no single Examination hall of 500, however they have two which add up to 500	4 mobile, 1 static, 1 IITV less			Not rectified  Not recommended	Approved  <b>Needs to be rediscussed with UG Committee</b> Reviewed by UG Committee. Split seating in Examination Hall Referred to BOG for consideration.
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
25	Assessment of the physical and other teaching facilities available for recognition u/s 11(2) of the IMC Act, 1956/ approval of Rajiv Gandhi Institute of Medical Sciences, Kadappa, AP under Dr. NTR University of Health Sciences, Vijayawada – Compliance verification assessment thereof.	Shortage mentioned on 18.3.11 rectified on 4.6.11 compliance Lecture theatre 1x350 rectified Library books shortage – rectified Hostel and health centre rectified	Shortage mentioned on 18.3.11 rectified on 4.6.11 compliance Mobile X-ray unit rectified	Shortage mentioned on 18.3.11 <b>not</b> rectified on 4.6.11 compliance OPD attendance was 600 against 1200 required is still 600 against 1200 required	Shortage mentioned on 18.3.11 <b>not</b> rectified on 4.6.11 compliance Faculty shortage has gone up from 12.7% to 24.1% Resident shortage gone up from 28% to 44.5% Nursing staff deficiency still exists (336 against 372 required) Paramedical	Not rectified  Not recommended. There was strike of non-teaching staff in the college during inspection.	<b>Not approved. Faculty shortage, Nursing Staff, Para-medical staff and Residents. Low patient load in OPD.</b>

					staff still short 176 against 182 required		
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
26	Assessment of the physical and other teaching facilities available for approval of Indira Gandhi Government Medical College, Nagpur against the increased intake i.e. from 60 to 100 MBBS seats under Maharashtra University of Health Sciences, Nashik					Deficiencies Rectified  Recommended	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
27	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Chintpurni Medical College & Hospital, Pathankot, Punjab by Chintpurni School Educational Society, Pathankot, Punjab u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					Recommended for LOP for establishment of new medical college for 150.	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	Decision of BOG
28	Assessment of the physical and the other teaching facilities available for renewal of permission against the increased intake i.e. from 100 - 150 for MBBS course for 4 <sup>th</sup> Batch of Mahatma Gandhi Medical College & Hospital, Jaipur under Rajasthan University of Health Sciences, Jaipur u /s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	No examination hall		RICU 4 against 5 PICU 3 against 5	Deficiency of paramedical staff remains (81 against 182 needed)	Not recommended for renewal of permission for the increased intake from 100 - 150 for MBBS course for 4 <sup>th</sup> batch  Recognition of 100 will continue.	
S. No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
1	Assessment of the physical and the other teaching					All deficiencies have been	

	facilities available for establishment of a new medical college in the name of Hi-Tech Medical College & Hospital, Rourkela, Odisha by Vigyan Bharati Charitable Trust, Orissa u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					corrected  Recommended  Note: Dr. Basu recused himself from discussing this case	
S. No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
2	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Murshidabad Medical College, Berhampur, WB by Govt. of West Bengal u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.	Inadequate electricity supply Lecture theatres not usable Common room not present No animal house No furniture No mess arrangement	No oxygen, nitrous in OTs Only 1 USG		Deficiency in Prof 33.3%, Associate Professor 71.42%, Asst Prof 70.6%, SR 100%, JR 100% Tutors 70.6%	The UG Committee had not recommended establishment of new medical college at the meeting held on 18 <sup>th</sup> March 2011. However the institution was re-inspected. Major shortage in faculty and residents still exists. Letter written by principal dated 10.6.11 attached to the file has not been endorsed by assessors. <b>UG Committee does not recommend establishment of new medical college in view of continuing deficiencies</b>	
S. No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
3	Assessment of the physical and the other teaching facilities available for	Residential quarters for nurses 24 against required 35 No journal in library		Skin, Psychiatry 8 beds less in each	Faculty shortage 20.33% even in pre-	Not recommended for establishment	

	establishment of a new medical college in the name of Baba Saheb Dr. Bhimrao Ambedkar Government Medical College, Kannauj, U.P. by Government of Uttar Pradesh u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof				clinical subjects Residents shortage 25.6%	nt of new medical college in view of deficiencies pointed out	
4	Assessment of the physical and the other teaching facilities available for establishment of a new medical college at Malda, West Bengal in the name of Malda Medical College & Hospital, Malda by Govt. of West Bengal u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof	No lecture theatre No library No hostels Areas for anatomy, physiology, biochem under construction	No equipment in OT block	Total beds adequate but distribution in medicine not as per MCI norms	Paramedical staff grossly deficient Faculty grossly deficient	None of the deficiencies listed are rectified  Not recommended	
<b>S. No</b>	<b>Name of college</b>	<b>Infrastructure</b>	<b>Equipment</b>	<b>Clinical Materials</b>	<b>Staff</b>	<b>Remarks</b>	
5	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of College of Medicine & Sagore Dutta Hospital, Kolkata, WB by Govt. of West Bengal u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.	One OT deficient No animal house Lecture theatres under construction No functioning library No central workshop Pre-clinical departments not set up Hostels under construction No common room No recreational facilities <b>No Blood bank</b> <b>No CSSD</b>	Radiology: 1 USG less and no mobile units	Beds adequate but no unit configuration in Medicine, Surgery and Ob-Gyn departments No registration area for patients No audiometry, ECG, injection, immunisation rooms No RICU/MICU/PICU/ICCU	More than 50% shortage in faculty, 100% shortage in residents No radiology department Nurses only 140 against 175 required	Deficiencies persist as noted in the compliance report – establishment of new medical college not recommended	
<b>S. No</b>	<b>Name of college</b>	<b>Infrastructure</b>	<b>Equipment</b>	<b>Clinical Materials</b>	<b>Staff</b>	<b>Remarks</b>	
6	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to	Lecture theatre capacity less	2 mobile X-ray units less	Psychiatry 6 beds short	NS 2 deficient DNS 1 deficient Paramedics 83 against	Continuation of recognition may be granted for	

	150 at Vijayanagar Institute of Medical Sciences, Bellary, Karnataka u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by Rajiv Gandhi University of Health Sciences, Karnataka – Compliance verification assessment thereof.				179 required Faculty shortage – Associate Prof 23.5%, Asst Prof 3.75%	100 seats  Not recommended for increase in seats to 150	
S. No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
7	Assessment of the physical and the other teaching facilities available for increase of MBBS seats from 150 to 250 at Rajah Muthiah Medical College, Annamalai Nagar u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by Annamalai University.	Seating capacity 320 against 500			Paramedics 117 against 182	LOP for 250 seats recommended  Deficiencies should be met before first renewal for 250 seats	
S.No	Name of college	Infrastructure	Equipment	Clinical Materials	Staff	Remarks	
8	Assessment of the physical and the other teaching facilities available for increase of MBBS seats from 150 to 250 at NRS Medical College, Kolkata u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof					Recommended for increase in seats from 150 to 250  Marginal faculty deficiency to be corrected before next inspection	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
9	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at Midnapore Medical College, Midnapore, West Bengal u/s 10A of the IMC Act 1956 for				Faculty shortage remains at 30%	In view of correction of a large number of deficiencies pointed out in lecture hall, Library, kitchen hall, laundry, central lab,	

	the Academic year 2011-12 – Compliance verification assessment thereof.					teaching beds in ENT, no. of OTs, non-functioning casualty beds, and resident shortage of 58% have all been made up. Residents hostel is under construction <b>LOP may be granted for increase in admissions from 100 to 150.</b>  Faculty shortage which continues to be 30% must be rectified before first renewal for 150 admissions	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
10	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at North Bengal Medical College, Darjeeling u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 – Compliance verification assessment thereof.					Deficiencies pointed out have not been addressed. The compliance report indicates many major deficiencies  Not recommended for increase in seats  However, recognition for 100 seats may continue .	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
11	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 150 at MVJ Medical College, Bangalore	Library 190 against 300 required			7 faculty short  8 residents short	Continuation of recognition for 100 and LOP for increase in seats from 100 to 150	

	u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree ranted by Rajiv Gandhi University of Health Sciences, Bangalore – Compliance verification assessment thereof					recommend ed  Deficiencies pointed out may be corrected before next inspection	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
12	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 200 at Burdwan Medical College, Burdwan u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by the West Bengal University of Health Sciences, Kolkata – Compliance verification assessment thereof	Lecture theatres of 120 available – deficient as per Council guidelines Library seating only of 230 available - deficient	No CT	No. of beds in paediatrics deficient for 200 seats (95 against a requireme nt of 120) Beds in Gen Surgery 165 against the required 210 Orthopedic s 60 against the required 120 Total surgical specialities beds are 315 against required 390 No MICU/SICU	NS, DNS, ANS deficient Faculty deficient 5.7% Resident deficient 44.66%	Not recommend ed for increase in seats for either 150 or 200 admissions  However continuatio n of recognition is recommend ed for 100 seats	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
13	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 100 to 200 at B.S. Medical College, Bankura u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by the West Bengal University of Health Sciences, Kolkata – Compliance	Lecture theatres deficient in seating capacity  No mention of interns hostel  Library seating inadequate  8 OTs against 10 required	ICCU inadequate equipment  2 of 8 required mobile units available	10 beds short in medicine  20 beds short in TB and Chest  15 beds short in skin, 15 beds short in psychiatry  50 short in orthopaedi cs  2 short in ophthalmol	Paramedics 87 against 182 Faculty 45.5% shortage  Residents 63.8% deficeint	Not recommend ed for increase in seats from 100 to 200  However, continuatio n of recognition for 100 seats is recommend ed	

	verification assessment thereof			ogy and ENT  No NICU			
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
14	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 155 to 250 at Govt. Medical College, Kolkata u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by the West Bengal University of Health Sciences, Kolkata – Compliance verification assessment thereof	1 lecture hall for 650 less			Faculty shortage 18%	Recommended for LOP for increase in seats From 155 to 250  Deficiencies pointed out may be corrected before next inspection	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
15	Assessment of the physical and the other teaching facilities available for Increase of MBBS seats from 150 to 200 at Calcutta National Medical College, Kolkata u/s 10A of the IMC Act, 1956 for the Academic year 2011-12 and also continuance of recognition of the college for the award of MBBS degree granted by the West Bengal University of Health Sciences, West Bengal – Compliance verification assessment thereof.	Lecture halls short by 2 Library short in capacity by 100 Auditorium not mentioned Interns Hostel not mentioned			SR shortage 27.9%	Not recommended for increase in seats from 150 to 200  Recommended for recognition for 150 seats	
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
16	Assessment of the physical and the other teaching facilities available for renewal of permission for MBBS course for 5 <sup>th</sup> Batch of Raichur Institute of Medical Sciences, Raichur under Rajiv Gandhi University of	Library capacity short by 50 Residential quarters not mentioned (95 required) 2 OTs less	Static and mobile units short CT deficient	No IICU/RICU	Paramedical staff short (145 against needed 179) Nursing staff short (102 against needed 247)	Not recommended for renewal of permission for MBBS course for 5 <sup>th</sup> Batch	



	Health Sciences, Karnataka u/s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.						
<b>S No</b>	<b>Name of College</b>	<b>Infrastructure</b>	<b>Equipment</b>	<b>Clinical Material</b>	<b>Staff</b>	<b>Remarks</b>	
17	Assessment of the physical and other teaching facilities available for recognition u/s 11(2) of the IMC Act, 1956/ approval of U.P. Rural Institute of Medical Sciences & Research, Saifai, Etawah, UP under Chhatrapati Shahuji Maharaj University, Kanpur, UP – Compliance verification assessment thereof					Deficiencies persist Not recommended for recognition	
<b>S No</b>	<b>Name of College</b>	<b>Infrastructure</b>	<b>Equipment</b>	<b>Clinical Material</b>	<b>Staff</b>	<b>Remarks</b>	
18	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Maha Maya Government Allopathic Medical College, Ambedkar Nagar, UP by Govt. of Uttar Pradesh u/s 10 (A) of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.					Recommended for establishment of a new medical college for 100 seats	
<b>Agenda continued from 10<sup>th</sup> June meeting</b>							
<b>S No</b>	<b>Name of College</b>	<b>Infrastructure</b>	<b>Equipment</b>	<b>Clinical Material</b>	<b>Staff</b>	<b>Remarks</b>	
27	Assessment of the physical and the other teaching facilities available for establishment of a new medical college in the name of Chintpurni Medical College & Hospital, Pathankot, Punjab by Chintpurni School Educational Society, Pathankot, Punjab					Recommended for LOP for establishment of new medical college for 150	

	u/s 10A of the IMC Act, 1956, for the Academic year 2011-12 – Compliance verification assessment thereof.						
S No	Name of College	Infrastructure	Equipment	Clinical Material	Staff	Remarks	
28	Assessment of the physical and the other teaching facilities available for renewal of permission against the increased intake i.e. from 100 - 150 for MBBS course for 4 <sup>th</sup> Batch of Mahatma Gandhi Medical College & Hospital, Jaipur under Rajasthan University of Health Sciences, Jaipur u /s 10A of the IMC Act, 1956 – Compliance verification assessment thereof.	No examination hall		RICU 4 against 5 PICU 3 against 5	Deficiency of paramedical staff remains (81 against 182 needed)	Not recommended for renewal of permission for the increased intake from 100 - 150 for MBBS course for 4 <sup>th</sup> batch  Recognition of 100 will continue	

The meeting ended with vote of thanks to the Chair.

(Dr. Sangeeta Sharma)  
Secretary

Approved by

(Dr. (Prof.) H.S. Rissam)  
 Member, BOG

(Dr. Purshotam Lal)  
 Member,BOG

(Prof. K.S. Sharma)  
 Member, BOG

(Dr. Rajiv Chintaman Yeravdekar)  
 Member, BOG

(Prof. K.K. Talwar)  
 Chairman, BOG